

With the introduction of sophisticated components and digital signal processing, there are multitudes of connection options available. Each option provides you with the opportunity to experience amazing video and audio performance like never before. It's really about what kind of cable matches your component and hook-up scenario. The Best options provide both a digital video and digital audio signal through a single cable. Better connection options require independent cables to provide a digital video signal or an audio signal. And good connection options offer you the best of an analog signal delivery.



# PERFORMANCE SERIES DIGITAL HOME THEATER HOOK-UP GUIDE

You've invested wisely in today's digital high definition video components and multi-channel digital audio components. Get the most out of your investment with a hook-up solution tailored to your entertainment and performance expectations.

1. Identify which components you want to connect and what kinds of inputs and outputs each component offers.
2. Determine the level of connection you prefer and select the cables you need from the illustration below.
3. Install the cables.
4. Remember, you need to have both an audio and a video signal running from each component.

**AUDIO/VIDEO**

**HDMI**  
Carries digital audio and video signals for the best signal integrity and performance.  
APO85 6 ft. (1.8 m)  
APO86 12 ft. (3.6 m)

**A/V RECEIVER • HDTV • HDTV TUNER  
HDTV CABLE BOX • HD DVD PLAYER  
SATELLITE RECEIVER**

DVI adapter available to convert inputs/outputs. See specialty solutions.

**AUDIO/VIDEO**

**IEEE1394 FIREWIRE®**  
Provides high-speed digital audio and video signals and data transfer:  
4 pin to 4 pin AP403 6 ft. (1.8 m)  
AP404 15 ft. (4.5 m)  
6 pin to 6 pin AP409 6 ft. (1.8 m)  
AP410 15 ft. (4.5 m)  
4 pin to 6 pin AP406 6 ft. (1.8 m)

**A/V RECEIVER • HDTV  
HDTV TUNER • HD DVD PLAYER  
HDTV CABLE BOX  
SATELLITE RECEIVER**

**VIDEO**

**DVI**  
Carries digital video signal. Supports high-definition video formats (HDTV) including 720P and 1080i.  
APO97 6 ft. (1.8 m)  
APO98 12 ft. (3.6 m)

**A/V RECEIVER • HDTV  
HDTV TUNER • HD DVD PLAYER  
HDTV CABLE BOX  
SATELLITE RECEIVER**

**VIDEO**

**COMPONENT VIDEO**  
Carries video signal over three individual paths for best picture quality.  
APO90 3 ft. (0.9 m)  
APO91 6 ft. (1.8 m)  
APO92 12 ft. (3.6 m)

**A/V RECEIVER • HDTV • DVD  
HDTV CABLE BOX  
SATELLITE RECEIVER**

**AUDIO**

**DIGITAL OPTICAL AUDIO**  
Carries digital audio signal as light.  
APO80 3 ft. (0.9 m)  
APO81 6 ft. (1.8 m)  
APO82 12 ft. (3.6 m)

**A/V RECEIVER • HDTV • DVD  
HDTV CABLE BOX  
SATELLITE RECEIVER • CD**

**AUDIO**

**DIGITAL COAX AUDIO**  
Carries digital audio signal through oxygen-free copper center connector with two layers of shielding for improved performance.  
APO70 3 ft. (0.9 m)  
APO71 6 ft. (1.8 m)  
APO72 12 ft. (3.6 m)

**A/V RECEIVER • HDTV • DVD  
HDTV CABLE BOX  
SATELLITE RECEIVER • CD**

**KEY**

Select the level of connection(s) you prefer (best, better, good) to create a video and audio connection between each component. This hook-up guide represents virtually all possible audio and video connections, utilizing different performance cables. You will need one audio and video connection between components. Choose your connections based on desired performance of your home theater. See other side for surround sound speaker connections.

**BEST CONNECTIONS**


- HDMI, FIREWIRE
- DVI CABLE
- DIGITAL OPTICAL AUDIO CABLE

**BETTER CONNECTIONS**

- COMPONENT VIDEO
- DIGITAL COAX AUDIO CABLE

**GOOD CONNECTIONS**

- STEREO AUDIO CABLE



**AUDIO**

**STEREO AUDIO**  
Carries stereo audio signal for best sound quality.  
APO30 3 ft. (0.9 m)  
APO31 6 ft. (1.8 m)  
APO32 12 ft. (3.6 m)

**A/V RECEIVER • HDTV  
DVD • VCR  
HDTV CABLE BOX  
SATELLITE RECEIVER**

**SPECIALTY**

**5.1 DIGITAL AUDIO CABLE**  
Carries six surround sound audio channels (front left, front right, rear left, rear right, center and a subwoofer) on 6 individual cables for best signal transfer and audio reproduction.  
Allows for separate amplification of individual channels.  
APO36 6 ft. (1.8 m)


**IDEAL FOR HOOKING UP A  
SACD OR DVD/A PLAYER TO  
AN A/V RECEIVER.**

**Footnotes**

- (1) DVI and Component Video cables carry video signal only. You will need a separate audio connection such as Digital Coax, Digital Optical, 5.1 Digital Audio when available) or Analog Stereo Audio (left and right) to complete your hookup.
- (2) Component Video is the best analog video connection available. The video signal is carried on three individual paths to help ensure integrity of the signal for best picture reproduction. Use this cable when the digital HDMI or DVI connections are not available.
- (3) A limited number of A/V receivers includes HDMI inputs and outputs. If your receiver does not have this connection, use Component Video cable to carry video signal from the video source, such as a DVD player or Cable/Satellite Receiver, to your A/V receiver. You will also need a separate audio connection such as Digital Coax or Digital Optical. If your TV supports the HDMI connection, you can run HDMI cable straight to your TV. This will however prevent you from being able to use the A/V Receiver to switch between components.
- (4) The Analog Stereo Audio (left and right) does not carry digital surround sound. You must use either a Digital Coax or Digital Optical audio cable from your audio source (a DVD player or a Cable/Satellite Receiver for example) in order to be able to transfer digital surround sound audio signals to your A/V Receiver.
- (5) If your components support IEEE 1394 FireWire® connections, you can use this connection instead of HDMI. Both HDMI and FireWire® carry digital audio and video data, and you will not need a separate audio connection.
- (6) In case when your HDTV has DVI inputs (not HDMI) and your components have HDMI outputs (not DVI), you can still utilize your HDMI outputs on your components and connect to DVI inputs on your HDTV via HDMI-to-DVI Adapter. Note, DVI carries only the video signal, therefore if you want sound to come out directly from your HDTV, you will need to run a separate analog stereo audio cable from your components to your HDTV.


**SPECIALTY**

**HDMI TO DVI ADAPTER**  
Converts HDMI connector to be used with DVI inputs/outputs.  
APO88




**SPECIALTY**

**S-VIDEO CAMCORDER CABLE  
MINI A/V PLUG TO RCA AUDIO AND S-VIDEO**  
For hooking up a camcorder or a portable DVD player to a TV or A/V receiver.  
APO29 6 ft. (1.8 m)



**SPECIALTY**

**COMPOSITE VIDEO CAMCORDER CABLE  
MINI A/V PLUG TO RCA AUDIO AND VIDEO**  
For hooking up a camcorder or a portable DVD player to a TV, an A/V receiver or a VCR.  
APO26 6 ft. (1.8 m)



**SPECIALTY**

**IEEE1394 FIREWIRE®  
CAMCORDER CABLE  
4 PIN TO 6 PIN CONNECTION**  
For hooking up a digital camcorder to a TV or a computer.  
AP406 6 ft. (1.8 m)



**VIDEO**

**COMPONENT VIDEO**  
Carries video signal over three discreet paths for best picture quality.

AP090 3 ft. (0.9 m)  
AP091 6 ft. (1.8 m)  
AP092 12 ft. (3.6 m)

A/V RECEIVER • TV  
DVD • CABLE BOX  
SATELLITE RECEIVER

**BEST**

**VIDEO**

**S-VIDEO**  
Carries video signal on two separate paths for sharper picture.

AP020 3 ft. (0.9 m)  
AP021 6 ft. (1.8 m)  
AP022 12 ft. (3.6 m)

A/V RECEIVER • TV • DVD  
VCR • CABLE BOX  
SATELLITE RECEIVER  
CAMCORDER

**BETTER**

**VIDEO**

**COMPOSITE VIDEO**  
Carries video signal only for better picture quality.

AP000 3ft. (0.9 m)  
AP001 6ft. (1.8 m)  
AP002 12ft. (3.6 m)

A/V RECEIVER • TV • DVD  
VCR • CABLE BOX  
SATELLITE RECEIVER  
CAMCORDER

**GOOD**

**VIDEO**

**COAXIAL**  
Carries both audio and video signals for the easiest A/V connection.

AP010 3 ft. (0.9 m)  
AP011 6 ft. (1.8 m)  
AP012 12 ft. (3.6 m)  
AP013W 25 ft. (7.6 m)  
AP014W 50 ft. (15.2 m)

TV • VCR • CABLE BOX  
SATELLITE RECEIVER

**GOOD**

**COMBO**

**DIGITAL OPTICAL AUDIO (TOSLINK™)/S-VIDEO**  
Combo package includes both a separate video and audio connection for a full solution in each package.

AP067 6 ft. (1.8 m)  
AP068 12 ft. (3.6 m)

A/V RECEIVER • DVD  
SATELLITE RECEIVER

**BEST**

**COMBO**

**STEREO AUDIO/S-VIDEO**  
Combo package includes both a separate video and audio connection for a full solution in each package.

AP064 6 ft. (1.8 m)  
AP065 12 ft. (3.6 m)

A/V RECEIVER • TV  
DVD • VCR  
SATELLITE RECEIVER  
CAMCORDER

**BETTER**

**COMBO**

**STEREO AUDIO/COMPOSITE VIDEO**  
Combo package includes both a separate video and audio connection for a full solution in each package.

AP060 3 ft. (0.9 m)  
AP061 6 ft. (1.8 m)  
AP062 12 ft. (3.6 m)

A/V RECEIVER • TV  
DVD • VCR • MD  
SATELLITE RECEIVER  
CAMCORDER

**GOOD**

**AUDIO**

**DIGITAL OPTICAL AUDIO TOSLINK™-TO-TOSLINK™**  
Carries digital audio signal as light for the highest sound quality. Optical connected curved finish to improve light transfer, with wire restraint and machined, gold-plated tips.

AP080 3 ft. (0.9 m)  
AP081 6 ft. (1.8 m)  
AP082 12 ft. (3.6 m)

A/V RECEIVER • DVD  
CD • SATELLITE RECEIVER

**BEST**

**AUDIO**

**DIGITAL COAX AUDIO**  
Carries digital audio signal through oxygen-free copper center conductor with two layers of shielding for improved performance.

AP070 3 ft. (0.9 m)  
AP071 6 ft. (1.8 m)  
AP072 12 ft. (3.6 m)

A/V RECEIVER • DVD  
CD • SATELLITE

**BETTER**

**AUDIO**

**STEREO AUDIO**  
Carries audio signal only for best sound quality.

AP030 3 ft. (0.9 m)  
AP031 6 ft. (1.8 m)  
AP032 12 ft. (3.6 m)

A/V RECEIVER • TV  
VCR • CD • TAPE  
SATELLITE RECEIVER  
CAMCORDER

**GOOD**

**AUDIO**

**SUBWOOFER**  
Carries audio signal to the subwoofer with minimal loss.

AP052 15 ft. (4.6 m)  
AP053 25 ft. (7.6 m)

A/V RECEIVER •  
SUBWOOFER

**GOOD**



# PERFORMANCE SERIES HOME THEATER HOOK-UP GUIDE

Relaxed Installation... This hook-up represents virtually all possible audio and video connections, utilizing different performance cables. You will only need one audio and one video connection between components. Choose your connections based on desired performance.

1. Identify which components you would like to hook up.
2. Determine which cables you need from the illustration and cable descriptions.
3. Install cables based on each cable's instructions.

**KEY**


Select the level of connection(s) you prefer (best, better, good) to create a video and audio connection between each component. This hook-up guide represents virtually all possible audio and video connections, utilizing different performance cables. You will need one audio and video connection between components. Choose your connections based on desired performance of your home theater.

**BEST CONNECTIONS**  
— COMPONENT VIDEO CABLE  
— DIGITAL OPTICAL AUDIO CABLE

**BETTER CONNECTIONS**  
— S-VIDEO CABLE  
— DIGITAL COAX AUDIO CABLE

**GOOD CONNECTIONS**  
— COAXIAL CABLE (RG6 Quad)  
— COMPOSITE VIDEO  
— STEREO AUDIO CABLE

**SPECIALTY**  
— SUBWOOFER CABLE  
— SPEAKER WIRE



**LIMITED LIFETIME WARRANTY** Audiovox Electronics Corporation (the "Company") warrants to you the original retail purchaser of this product that should it, under normal use and conditions, be proven defective in material or workmanship during its lifetime while you own it, such defect(s) will be repaired or replaced (at the Company's option) without charge for parts and repair labor. To obtain repair or replacement within the terms of this Warranty, the product is to be delivered with proof of warranty coverage (e.g. dated bill of sale), specification of defect(s), transportation prepaid, to the Company at the address shown below. Do not return this product to the Retailer.

This Warranty does not cover product purchased, serviced or used outside the United States or Canada. This Warranty is not transferable and does not extend to costs incurred for installation, removal or reinstallation of the product. This Warranty does not apply if in the Company's opinion, the product has been damaged through alteration, improper installation, mishandling, misuse, neglect, or accident. THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, IN NO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY PURCHASER FOR THE PRODUCT. This Warranty is in lieu of all other express warranties or liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL BE LIMITED TO DURATION OF THIS WARRANTY. IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES WHATSOEVER. No person or representative is authorized to assume for the Company any liability other than expressed herein in connection with the sale of this product. Some states/provinces do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights and you may also have other rights which vary from state/province to state/province.

U.S.A.: Audiovox Electronics Corporation, 150 Marcus Blvd., Hauppauge, New York 11788  
CANADA: Audiovox Return Center, c/o Genco, 6685 Kennedy Road, Unit #3 Door 16, Mississauga Ontario, L5T 3A5.

**SPECIALTY CONNECTORS**

AP316 RCA type female to female couplers  
AP306 Speaker Pins 2 pairs  
AP307 Set screw banana pins 2 pairs

Connects two cables together. Provides clean termination ends for speaker cable connections. Accommodates all cable gauges and types in the AR Performance Series.

**SPECIALTY VIDEO SPLITTERS**  
High quality solid-state circuit board design with power pass provides video signals to more than one TV.

AP230 2 way Splitter - allows hookup of 1 additional TV  
AP231 3 way Splitter - allows hookup of 2 additional TVs  
AP232 4 way Splitter - allows of 3 additional TVs

**SPECIALTY AUDIO RCA "Y" ADAPTER/CABLE**  
Audio RCA "Y" adapter cable splits or combines audio signals.

AP040 1 Female to 2 Male  
AP041 1 Male to 2 Female  
AP042 2 Male to 1 Mini 3 ft. (0.9 m)

A/V RECEIVER • TV  
VCR • SUBWOOFER  
CAMCORDER

**SPECIALTY OXYGEN-FREE COPPER SPEAKER CABLE**  
For speaker connections in which highest performance is desired. Also excellent for longer than average hookups.

AP1630 30 ft. (9.1 m)  
AP1650 50 ft. (15.2 m)  
AP16100 100 ft. (30.5 m)  
AP1650W 50 ft. (15.2 m)  
AP16100W 100 ft. (30.5 m)

Carefully strip insulation to expose wire. Check polarity for proper phasing before connecting. AP1630 comes with pins attached.

Specifications and features subject to change without notice. Product may vary from that shown. Performance is device and signal source dependent. Consult your component instruction manual for more information. Trademark(s) © Registered.  
©2007 Audiovox Accessories Corporation  
111 Congressional Blvd., Suite 350  
Carmel IN 46032 USA  
www.araccessories.com  
ARPS HOOKUP GUIDE US REV B 10/2007

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>